GÉVELOT

PARIS-XVII=

RÉPUBLIQUE FRANÇAISE
★ 170F
POSTES

SOCIÉTÉ ANONYME AU CAPITAL DE 960.000.000 DE FRANCS

ANCT STÉ FSE DES MUNITIONS, DE CHASSE, DE TIR ET DE GUERRE

R. C. SEINE 118.151

50, RUE AMPÈRE - PARIS-17E

TÉL. : WAGRAM 00-64

NE PAS PLIER

PAR AVION

A.O

XXX

GEVELOT

Messrs. reg'd

MONTREAL, 15

(Canada)

50, RUE AMPÈRE - PARIS (17E)

POSTES ET TÉLÉGRAPHES
Service Postal
JAN 16 1960
Esp. franchise de Droits
DUTY FREE

LA MUNITION DE CHASSE
DE RÉPUTATION MONDIALE
A WORLD FAMOUS AMMUNITION

50, RUE AMPÈRE - PARIS (XVII[e])

GÉVELOT SIGNIFIE PLUS D'UN SIÈCLE D'EXPÉRIENCE AU SERVICE DES CHASSEURS.

A l'origine de tous les grands progrès réalisés depuis un siècle pour les munitions de chasse, on trouve le nom de GÉVELOT.

Le premier, GÉVELOT réussit à utiliser le fulminate de mercure dans la capsule d'amorçage à la place de l'ancienne pierre à fusil. Plus tard, GÉVELOT créa l'amorçage fermé, adopté aujourd'hui dans le monde entier.

Depuis un siècle, le nom de GÉVELOT, sur une cartouche de chasse, est la garantie d'une fabrication qui n'a cessé de se maintenir à la tête du progrès.

GÉVELOT EXPERIENCE HAS NO SUBSTITUTE.

Sportsmen and hunters all the world know that GÉVELOT is serving the trade, backed by over a century of ammunition manufacturing experience.

No improvement has ever been achieved, for the last hundred years, on hunting and sporting ammunition, with which GÉVELOT has not been closely connected.

First to experiment the ignition action of the fulminate of mercury, as priming in lieu of the flint, thus permitting the development of the self igniting unit, GÉVELOT invented subsequently the world famous GÉVELOT cap, now in use everywhere.

For a century, GÉVELOT products developed with an uninterrupted record of know how and experience are representative of an ever improved superb quality and your assurance of outstanding performance.



CARTOUCHES IMPERMÉABILISÉES

(recommandées pour climats chauds et humides)

Ces cartouches, entièrement revêtues d'une couche isolante d'un vernis spécial, résistent très bien à l'humidité.

SPECIALLY WATERPROOFED SHOTSHELLS

(suitable for hot and damp climates)

Specially varnished, withstand dampness injuries.

GALLIA. Culot de 14 mm.

Renfort métal, culot acier sous le bourrelet. Amorçage AMINOX. Poudre sans fumée, bourre extra. Existe pour cal. 12 et 16. Plomb durci première qualité.

GALLIA Brand 5/8 IN. Brass.

Lined, steel cup under rim.
GÉVELOT AMINOX percussion cap.
Superior wadding. Loaded with French smokeless powder. First class chilled shot. Bright red rolled paper case.
2 1/2″ length : 12 and 16 Bore.
2 3/4″ length : 12 and 16 Bore.

VIVIA.

Mêmes caractéristiques que GALLIA, mais culot de 10 mm. Existe pour cal. 12 et 16.

VIVIA Brand. 3/8 IN. Brass.

Same features as GALLIA Brand.
Salmon coloured rolled paper case.
2 1/2″ length : 12 and 16 Bore.

FAUNIA.

Mêmes caractéristiques que GALLIA, mais culot de 8 mm 5. Bourre première qualité. Existe pour cal. 12 et 16.

FAUNIA Brand 7/16 IN. Brass.

Same features as GALLIA brand.
Bright yellow rolled paper case.
First class wadding.
2 1/2″ and 2 3/4″ length : 12 and 16 Bore.

CARTOUCHES STANDARD

GÉVELOT

D 51 DEMI-CUIRASSE

D 55 VERTE G.

SMOKELESS

D 59 SF

D 51 DEMI-CUIRASSE. Culot 20 mm. Cartouche impeccable, conçue pour satisfaire le sportsman le plus exigeant. Amorçage AMINOX. Renfort de métal, culot acier sous le bourrelet, poudre sans fumée. Couleurs pour calibres 12, 16, 20 : rouge, noire, verte, saumon. En longueur 70-75, cal. 12 et 16, rouge et verte seulement.

D 51 DEEP SHELL. 7/8 IN. Brass. The aristocrat of shot shells, presented to further your most exacting shooting requirements. Lined. Rolled paper case in either green, salmon, red and black. Steel cup under rim.
Gévelot AMINOX percussion cap.
2 1/2″ length : 12, 16 and 20 Bore.
3″ and 2 3/4″ length : 12 and 16 Bore.

D 55 VERTE G. Culot 14 mm.
Cartouche 1re qualité d'un prix avantageux. Amorçage AMINOX. Renfort métal, culot acier sous le bourrelet, sauf pour calibres 24 à 36 (410). Poudre pyroxylée. Tous calibres sauf 9 mm.

D 55 VERTE G Brand. 5/8 IN. Brass. Best quality. Lined. High grade, lower price. Green rolled paper case. Steel cup under rim, with exception of 24 to 36 bore (410). Supplied in all calibers with exception of 9 mm Bore. French smokeless powder.

SMOKELESS. Culot 7 mm 5.
Cartouche avantageuse de haute qualité. Renfort métallique. Amorçage 6,45. Couleurs bleue et rouge pour cal. 12, 16 et 20.

SMOKELESS Brand. 5/16 IN. Brass. Lined. High quality. Lower price. Blue or red rolled paper case. 6,45 percussion cap. Steel cup under rim. 2 1/2″ length : 12, 16 and 20 Bore.

D 59 SF. Culot 7 mm 5.
Bonne cartouche pratique et sûre. Amorçage 6,45. Existe pour tous les calibres. Rouge, brique et bleue, cal. 12, 16 et 20. Poudre sans fumée. Autres calibres, couleur bleue, poudre noire.

D 59 « SF » Brand. 6/16 IN. Brass. 6,45 percussion cap. Dependable, clean, safe. French smokeless powder. 2 1/2″ length 12, 16 and 20 Ga. In other calibers, load of black powder, blue case.

CARTOUCHES SPÉCIALES

GÉVELOT

D 71 A BROCHE



MÉTAL GÉVELOT

CHEVROTINES LIÉES

SPÉCIALE 410

D 71 A BROCHE. Culot 7 mm 5.

Une des plus anciennes créations de GÉVELOT. Tube bleu. Existe pour cal. 12, 16 et 20.

D 71 PIN FIRE LEFAUCHEUX
Brand. 6/16 IN. Brass.

One of the oldest GÉVELOT creations. Blue rolled paper case.
Length 2 1/2″ 12, 16 and 20 Bore.

MÉTAL GÉVELOT

Cartouche d'une efficacité extraordinaire à toutes les distances du tir de chasse. Elimine complètement les coups creux. Spécialement recommandée par temps de pluie. Long. 65, cal. 12 et 16.

MÉTAL GÉVELOT Brand.

An original Gévelot development indispensable to shooters who hun in wet wheather. Remarquable superiority in long range shooting.
Crimp closure : no more blown pattern!
Length 2 1/2″, 12 and 16 Bore.

CHEVROTINES LIÉES. Culot 14 mm.

Cette cartouche comporte 9 grains liés par 3. Elle évite ainsi les écarts importants, fréquents avec les chevrotines ordinaires.

CHEVROTINES LIÉES Brand. **(BUCKSHOT LOADS)**

5/8 IN. Brass.
Length 2 1/2″, 12 and 16 Bore.
Loaded with 9 buckshot pellets tied up in 3 units — no straggling — Greater effective density that with the ordinary buckshots cartridges.

SPÉCIALE 410. Culot 14 mm.

Utilisée pour tous usages (chasse, skeet-ball). Existe en longueur 65 et 76 m/m.

410 GA. SPECIAL. 5/8 IN Brass.

Extensively used for upland game shooting as well as on countless skeet fields ; also widely popular for hand trap shooting.
Length : 2″ 1/2 and 3″.

SUPERVIX

la nouvelle cartouche

SPÉCIALE POUR TIR AUX PIGEONS

A new amazing trap and skeet shooting shotshell

GÉVELOT a toujours été un spécialiste de la munition de concours pour tir aux pigeons. Les victoires obtenues avec ses cartouches ne se comptent plus.

Cette nouvelle cartouche SUPERVIX a surpris par sa vitesse extrême et son efficacité.

Son groupement atteint 80 %.

GÉVELOT has for many years given the « gunner » improved advancements, in trap and skeet shooting and made him a prize winner.

This newly developed GÉVELOT shotshell has astonished all shooters because of

an outstanding, amazing dense pattern of 80 %

Culot 20 mm, renfort acier intérieur, amorçage Aminox, bourre pneumatique ARG, poudre spéciale progressive ; fermeture plissée et sertie. Plomb 7 et 8. Calibre 12, longueur 70 mm.

7/8 IN. Brass. Lined. Gévelot AMINOX cap. superior wadding.
Loaded with special progressive burning powder ; crimp closure. Shot size : 7 and 8 exclusively. Length : 2 3/4″ 12 Bore.

Shoot GÉVELOT the ammunition of clean kills !

14 CONTROLS

From start to finish, from primer to crimp, each feature of these well known GÉVELOT shotshells are the result of scientific production, under severe control and exhaustive ballistics test performances, according to specifications and data of every Proof Institute of the world.

All the ingredients of our famous GÉVELOT AMINOX priming are non corrosive : nothing present to cause rusting of the gun barrel.

14 CONTROLES

Les cartouches GÉVELOT, depuis le début de la fabrication des pièces constitutives : amorce, douille, bourre, jusqu'à la fin des essais balistiques de la munition terminée, sont soumises à 14 contrôles.

Ces tests rigoureux font que toutes les munitions GÉVELOT répondent aux normes officielles des bancs d'épreuve dans le monde entier.

L'amorçage AMINOX est un amorçage breveté qui évite toute oxydation des canons.

Tirez GÉVELOT la munition qui tue net !

LES RECOMMANDATIONS DE GÉVELOT

1° Placez toujours vos cartouches dans un endroit sec, loin de toute source de chaleur.

2° N'utilisez pas de cartouches à forte charge ou chargées avec des poudres sans fumée dans un canon qui ne peut les supporter (canons damassés en particulier).

3° N'employez pas de cartouches trop longues pour la chambre de votre fusil, par exemple une cartouche spéciale tir aux pigeons (70 mm.) dans un fusil ordinaire à chambre de 65.

4° Déchargez toujours votre fusil au moment de quitter le terrain de chasse.

5° Manipulez toujours votre fusil comme s'il était chargé, surtout si vous n'êtes pas seul.

N'oubliez pas que la longueur d'une cartouche est celle de la ***douille avant chargement ou après le tir.***

GÉVELOT

ADVICES TO SHOOTERS

1° Keep ammunition in a well ventiladet dry room, away from stove or other source of heat.

2° Heavy loads or smokeless powder should not be used in guns which have not been nitroproved or not in a sound condition (in particular in Damascus or other twist steel barrels).

4° Never forget to unload gun when leaving the fields.

5° Handle gun with care, as ready for firing above all when you are with people.

All shell lengths represent the full length of the shell, ***before loading or after firing.***

GÉVELOT

GÉVARM

Now in stock and available for immediate delivery.

List Price :
$ 135.00

THE NEW

.222 Rem. calibre
GEVARM SPORTER

The model **Cl Gevarm sporter** is a Mauser type, bolt action, repeating rifle, chambered for the 222 Remington cartridge. The receiver is made of specially treated chrome-molybdenum steel, grooved for mounting of telescopic sight. The tapered barrel is made of special long wearing chrome-molybdenum steel, carefully bored for long range, high precision shooting. Floating barrel in specially selected French Walnut stock, with cheek piece, pistol and foregrip hand checkered. Adjustable match type trigger, with crisp, lightening-fast let off. Removable front blade sight mounted on matted ramp. Removable peep sight, adjustable for windage, elevation and two distance settings. Conveniently located toggle-type safety on left rear side of receiver, locks both the trigger and bolt.

SPECIFICATIONS

ACTION * Specially treated chrome-molybdenum steel, holds three cartridges in box magazine, fitting flush with bottom of stook. Additional five shot clips available. Fully adjustable, cut trigger, regulates the back lash and weight of pull. Top of action grooved for 3/8″ standard scope mounts.

BARREL * Made of special chrome-molybdenum steel with blade type front sight mounted on matted ramp. Removable and adjustable rear peep sight with 100 and 200 yards setting, also windage and elevation adjustment. Length of barrel, 23″, rifling-6 lands and grooves, one turn in 14″.

STOCK * French Walnut hand checkered fore-end and pistol grip, cheek piece, beavertail and reinforced butt plate. Length of stock, 31-3/4″, drop at comb 1-1/8″, drop at heel 2-1/8″.

Overall length 42¼″ **Weight 7½ Lbs**



This is a U. S. calibre Rifle custom built in France in the best French tradition and quality.

50, RUE AMPÈRE - PARIS (France)

CARTOUCHES GEVELOT CALIBRE 22

GEVELOT présente aux tireurs experts ou amateurs de tir de précision une série complète de cartouches .22, capables de satisfaire toutes les exigences d'emploi dans les carabines et pistolets à répétition ou automatiques.

Ces munitions pourvues d'un amorçage non-corrosif, sont le fruit des plus récents progrès accomplis dans le domaine de la balistique.

Idéales pour le tir de précision, à la cible ou à la chasse, elles allient de la manière la plus avantageuse, la précision, la vitesse, la portée et la pénétration.

Elles assurent aux tireurs le maximum de satisfaction.

Un connaisseur tire toujours des cartouches GEVELOT .22

.22 LONG

SANS POUDRE-ÉTUIS TOMBAC

Gagnante du Championnat de France 1956

Sans mercure, sans fumée ni encrassement. Précision remarquable. La meilleure munition pour le tir d'entraînement de précision coup par coup dans les carabines 22 L.R. à distance réduite (12 mètres).

WITH ADDED PRIMING LOAD NO POWDER. COPPER CARTRIDGE CASE

Prize winner of the Championship of France 1956

Non-mercuric, smokeless, clean bore and of remarkable precision, The best Ammunition for training at reduced range (14-15 yards) exclusively in Single Shot Rifles, cal .22 LR.

SMOKELESS - ÉTUIS TOMBAC

Convient à toutes les carabines à un coup à répétition et automatiques, pour le tir à 25 mètres.

SMOKELESS COPPER CARTRIDGE CASE

for Single Shot, Repeater, or Automatic Rifles at range of 25-30 yards.

.22 LONG RIFLE

Composition d'amorçage garantie sans mercure, ni paillon.
Guaranteed Non-mercuric Priming - Without foil lining

GEVELOT/SUPER STANDARD
ÉTUIS NICKELÉS

Universelle pour toutes les carabines françaises et étrangères.

SUPER STANDARD
GREEN BOX GEVELOT

For universal use in French and Foreign Rifles.





CONCOURS DE TIR - ÉTUIS NICKELÉS - BOITES A GRILLE

cartouche sélectionnée spécialement pour les grandes compétitions.

FOR TARGET SHOOTING
(BLUE BOX WITH COMPARTMENTS)

Specially selected Cartridge for Competition Shooting.

.22 L.R. GEVARM - ÉTUIS NICKELÉS

Mise au point spécialement pour les carabines GEVARM.

.22 L.R. GEVARM - (BROWN BOX)

Made specially for GEVARM Rifles Cal. .22 Long Rifle.

CAL. .22 GEVELOT RIM FIRE AMMUNITION

GEVELOT presents to both the Expert and the Amateur Sportsman, a complete range of Cal. .22 Rim Fire Cartridges which can satisfy every requirement in the use of repeating or automatic Rifles and Pistols.
This Ammunition having a non-corrosive Priming is the result of the most up-to-date research in the field of ballistics.
Ideal for precision shooting, either at target or in the field, they combine to the greatest advantage, Precision, Velocity, Range and Penetration.
They assure the Sportsman of the maximum satisfaction.
The Expert always buys the GEVELOT Cal. .22 Ammunition.

.22 COURT - .22 SHORT

SMOKELESS - ÉTUIS TOMBAC

Composition d'amorçage garantie sans mercure. Pour toutes les armes .22 court automatiques et particulièrement, le pistolet vitesse, à 25 mètres.

SMOKELESS - NICKEL PLATED CARTRIDGE CASE

Guaranteed non-mercuric Priming. Suitable for all types of cal. .22 Short Automatics and particularly for multiple Target Pistol shooting.

SANS POUDRE - ÉTUIS TOMBAC

Excellente cartouche non corrosive. Elle convient pour le tir à 12 mètres.

WITH ADDED PRIMING LOAD NO POWDER. COPPER CARTRIDGE CASE

Excellent Cartridge. Non-corrosive Priming for shooting at range of 14-15 yards.

BALISTIQUES

BALLISTICS

MUNITIONS	Poids de la balle	Vitesses initiales	Vitesses	Pénétration dans le sapin	Chute de la trajectoire
CARTRIDGES	Weight of the ball	Muzzle velocity	Speeds	Penetration in fir	Mid range trajectory
22 LR. GEVELOT et GEVARM.....	2 g. 60	340 m	290 à 50 m	75 m/m à 100 m	0 m 35 à 100 m
22 LR. Concours de Tir	2 g. 60	340 m	290 à 50 m	75 m/m à 100 m	0 m 35 à 100 m
22 Long sans poudre	1 g. 90	220 m	210 à 25 m	30 m/m à 50 m	0 m 20 à 50 m
22 Court sans poudre	1 g. 90	235 m	217 à 25 m	38 m/m à 50 m	0 m 17 à 50 m
22 Court à poudre	1 g. 90	250 m	240 à 25 m	45 m/m à 50 m	0 m 10 à 50 m

Tous les résultats balistiques ont été obtenus dans notre stand avec des lots de poudre moyens.

All ballistic results were obtained on our rifle range with mean powder loads.

Nos fabrications de cartouches 22 ont été étudiées pour répondre aux désiderata de notre clientèle et fonctionner dans toutes les armes tirant ces munitions.

Elles donnent de bons groupements dans les carabines ou revolvers, automatiques ou à répétition.

All our .22 cartridges have been produced to meet the requirements of our customers and be suitable for all firearms of this caliber.

They give good patterns in all rifles, revolvers or automatic pistols.



Percussion correcte.
Correct percussion.

Percussion mal dirigée (vers le centre) - Raté possible.
Percussion badly directed (inwards) - Possible misfire.

Percussion mal dirigée (vers le bord) - Raté possible.
Percussion badly directed (outwards) - Possible misfire

Percussion trop faible - Raté possible.
Understressed percussion - Possible misfire.

Percuteur trop pointu - Raté ou déchirure possible.
Too sharp-pointed hammer - Possible misfire or tearing.

Percuteur trop tranchant - Déchirure possible.
Over cutting hammer - Possible tearing.

Percuteur à arêtes trop vives - Déchirure possible.
Too sharp edged hammer - Possible tearing.

Percussion trop forte - Déchirure possible.
Overstressed percussion - Possible tearing.

Logement d'extracteur trop profond - Le bourrelet de la cartouche, sans appui en ce point peut se déchirer au tir.
Overdeep extractor casing - The cartridge rim unsupported at that point may tear when firing.

Usure anormale de la fraisure de la chambre au droit du percuteur qui déforme alors le bourrelet sans l'écraser - Raté probable.
Abnormal wear of the chamber groove opposite the hammer which deforms the rim without compressing it - Likely misfire.

Fermeture insuffisante - Percussion trop faible - Raté ou déchirure probable.
Defective bolting - Understressed percussion - Likely misfire or tearing.

Fraisure de la chambre trop profonde - Le percuteur chasse la cartouche devant sans écraser le bourrelet - Raté.
Overdeep chamber groove - The hammer drives the cartridge without compressing the rim - Misfire.

Percuteurs défectueux.
Defective Hammers.

Bons Percuteurs.
Efficient Hammers.

AVIS AUX TIREURS

La munition du calibre 22 est une munition de précision dont le fonctionnement correct **ne s'accommode pas d'une arme défectueuse.**

En particulier, nous appelons l'attention des tireurs sur les points suivants :

1° **La percussion doit être énergique et convenablement dirigée.**

Elle doit avoir pour effet de comprimer la composition d'amorçage, contenue dans le bourrelet de la cartouche, entre le percuteur et la feuillure de la chambre recevant ce bourrelet.

Une percussion qui s'exerce totalement ou partiellement en dehors du bourrelet ou qui déforme seulement le bourrelet au lieu de le comprimer est une percussion défectueuse.

2° **La percussion ne doit pas créer une amorce de rupture dans l'étui de la cartouche.**

Les percuteurs pointus ou tranchants sont donc à proscrire.

3° **L'étui doit être soutenu pour résister à la pression des gaz sans se déchirer.**

Une fermeture mal ajustée, une chambre trop grande, un logement d'extraction trop profond, une feuillure trop grande, ou anormalement usée au droit du percuteur, provoquent des crevaisons d'étuis.

4° **Les armes automatiques doivent être particulièrement bien entretenues.**

Elles doivent être propres et graissées sans excès. Le ressort récupérateur doit être de qualité et convenablement taré.

GÉVELOT
50, RUE AMPÈRE - PARIS XVII[e]

NOTICE TO SHOOTERS

The caliber. .22 cartridge is an ammunition of high precision, the good functioning of which **does not admit defective firearms.**

The shooters' attention is specially drawn to the following points:

1° **Percussion must be powerful and well directed.**

It must have the effect of compressing the priming composition, contained in the cartridge rim, between the firing pin and the rim of the chamber lodging the rim of the cartridge.

A defective percussion is the one which strikes entirely or partially off the rim, or which deforms the rim instead of compressing it.

2° **Percussion must not pierce the cartridge case.**

Sharp or cutting firing pins must not be used.

3° **The cartridge case must be supported to withstand gas pressure without bursting.**

A weapon which does not close correctly, a too large chamber, a too deep extractor groove, a too large chamber rim, a badly fitting firing pin, may cause burst cartridge cases.

4° **Automatic weapons must be specially well looked after.**

They must be clean and greased without excess. The recoil spring must be first-class quality and of correct strength.

PRINTED IN FRANCE 30 M 57 Les Ateliers A.B.C.

GÉVARM

ARMS ST-ETIENNE

CAL. .22 LONG RIFLE RIM FIRE SELF LOADING 8-SHOT

MODEL A-3

MAIN FEATURES

BARREL — 21½" tapered barrel with crowned reinforced muzzle and reinforced also around the chamber to prevent vibration. Made of high tensile steel to ensure maximum hardness to the rifling. The barrel action assembly has been designed for best presentation

TANGENT LARGE SURFACED SLIDING REARSIGHT

No side play. Windage and elevation. Graduated from 25 to 100 yards. Its base is hand fitted on to the barrel (to increase accuracy) and is maintained with a set screw to facilitate assembly.

Tunnel foresight with 5 interchangeable elements: 1 cross-wire, 1 bead, 1 peep, 1 half-disc, 1 picket. Hand fitted on to the barrel, as the rearsight. Spare foresight elements in the trap of the pistol grip.

Reversible spring guide with end masses of different weight to increase or decrease the inertia of the breech block depending upon the ammunition used (rimmed base-end mass in rear for standard type ammunition, reversed in front, for high velocity ammunition).
See NOTE (Working Principle).

Stock of fine French walnut. Carefully polished and varnished.
Specially designed to insure proper shooting positions.
Snobble fore-end.

TANGENT REARSIGHT ADJUSTABLE FROM 25 TO 100 YARDS
TUNNEL FORESIGHT WITH INTERCHANGEABLE ELEMENTS
KNURLED BOLT KNOB
21½ INCH TAPERED BARREL SPECIAL HIGH TENSILE STRENGTH STEEL
ACTION GROOVED FOR TELESCOPE SIGHT
KNURLED DISMANTLING NUT
KNURLED ACTION FRAME CAP
8-SHOT, BOX TYPE MAGAZINE
POSITION ON SAFETY
TRAP FOR SPARE FORESIGHT ELEMENTS

SPECIFICATION

This rifle has no firing pin. The percussion is effected by means of a ridge across the face of the breech block direct across the base of the cartridge which is smashed at two opposite points. This double percussion produces a simultaneous double ignition, expanding the power of the explosion gases, and increasing the muzzle velocity of the bullet.

THE FIVE PARTS OF THE MECHANISM

OVERALL LENGTH : 41"
WEIGHT : APPROX. 6 LBS.

Ejection window open or closed: The rifle can be carried about either with the ejection window open or closed.
1° To close the ejection window, pull out first the box magazine slightly.
2° Let the bolt move forward by pressing the trigger, thus closing the ejection window.
3° Push the magazine fully in. No cartridge has thus been introduced into the chamber.
For the first shot—when firing—simply pull towards you the cocking handle and the breech block will be set in position for firing. Alternatively, the ejection window can remain open for immediate firing with the box magazine fully introduced.

NO OTHER SELF LOADING RIFLE IS MORE ACCURATE

No firing pin ● no extractor ● sturdy recoil spring ● Breech block made of thermically treated special steel ● " Mauser-type " 6-groove rifling of high precision, one turn in 450 mm (approx. 17½") ● Easy dismantling and re-assembling by hand without any tool, with the sole help of a coin.

WORKING PRINCIPLE

When you press the trigger, the breech block is thrown forward, under pressure of the main spring. In its travel it feeds a cartridge from the magazine, introduces it into the chamber of the barrel, and fires it.
Under the force of the explosion gases, the breech block is thrown back to its original position and the cartridge case is ejected.
The breech block is retained in the rear position, the recoil spring remains compressed, and the weapon is ready for further firing.

NOTE: When firing high velocity or very powerful cartridges, it is advisable to increase the inertia of the breech block by reversing the position of the spring guide, i.e. by placing the rimmed-base-end in front, inside the rear-end cavity of the breech block.
To adjust trigger pull: Remove the stock. Insert screwdriver in hole at the rear of the trigger mechanism. Turn regulating screw clockwise to increase pull and anticlockwise to lighten.

Safety: To place the rifle on safe, pull the bolt handle fully to the rear and push it in. To take the rifle off safe, merely push the bolt handle outwardly to the right with the thumb, and the bolt will jump into cocking position.

Ammunition: Any make of cartridge teamed up with. 22 GEVARM rifles will give a higher muzzle velocity than in other rifles.

WORLD DISTRIBUTED BY

GÉVELOT

ARMS & AMMUNITION FACTORIES

50, RUE AMPÈRE — PARIS-17e (FRANCE)

Established since 1820

Printed in France

Les Ateliers A.B.C. Paris

AMMUNITION FACTORIES

GÉVELOT

50, Rue Ampère - PARIS

SUPERVIX - 80

For LONG RANGE HUNTING and TRAPSHOOTING

BLACK TUBE N° 6

RED TUBE N° 7

GREEN TUBE N° 8

Packed in pocket size cartons of 10 or boxes of 25.

THE BEST EUROPEAN CARTRIDGE FOR MOST EXACTING SHOOTING REQUIREMENTS.

The SUPERVIX-80 brand gives a pattern grouping 80 % of the shot load at 40 yards. It still has an effective hitting power at 66 yards. It is a special long range cartridge, amazingly effective and much used for wild duck hunting and also trap shooting.

Gauge	Gun Chamber-length (in.)	Shot load (oz.)	Colour of tube	British Shot sizes
12	2 3/4	1.1/4	Black Red Green Black	N° 6 N° 7 N° 8 BB 1, 3, 4, 5,

SPECIFICATION :

4/5'' brass ; metal lined and steel cup under base ; Gevelot covered copper plated powerful primer ; loaded with a most expensive French smokeless progressive powder, patented AR-Gevelot recoil-absorbing wad and first-class chilled shot. Flat top, crimp closure, well varnished.

Made in 12 bore, 2 3/4'' length (1. 1/4 oz. shot load).

Also supplied with lettered shot or buckshot.

For live Pigeon Shooting we particularly recommend our "SUPERVIX-PIGEONS" with I. 5/16 oz. shot load.





SPECIAL PRICE C. & F. PAKISTANI PORT

12/2½" ..... £1/17/- per 100
12/2¾" ..... £1/19/- per 100

GAME-KING

Power packed shotgun cartridge suitable for all types of game, made of first-class components ; crimson red, well varnished tube ; 6/16 " brass ; 6,45 mm. (1/4") very reliable primer ; loaded with French smokeless "T" powder, patented AR-Gevelot recoil-absorbing wad, first-class chilled shot.

Made in 12 bore, 2 1/2" (1.1/8 oz. shot load) and 2 3/4" length (1.1/4 oz. shot load), in all shot sizes.

12 bore 2 3/4 "

12 bore 2 1/2 "

Gauge	Gun Chamber Length (in.)	Shot load (oz.)	Colour of tube	British Shot sizes
12	2 1/2	1 1/8	Crimson RED with Black ribbon imprint	BB, 1, 3, 4, 5, 6,
12	2 3/4	1 1/4		7, 8, 9

Also supplied with Lettered Shot, Buckshot and Rifled Slugs.

Packed in boxes of 25.

GEVELOT

MADELEINE PUBLICITÉ

"TRADE MARK"

GÉVELOT

PARIS FRANCE

OLYMPIC

For LONG-RANGE HUNTING

THE BEST CARTRIDGE FOR MOST EXACTING SHOOTING REQUIREMENTS

The Gévelot "OLYMPIC" is the most amazing high quality shell for long range shooting. The 1.$\frac{1}{4}$ oz. shot-load gives a remarkable pattern at 40 yards and still has an unequalled hitting power at 66 yards. It is used for duck and geese, as well as upland game.

Gauge	Gun Chamber-length (in.)	Shot load (oz.)	Colour of tube	Shot sizes
12	2 3/4	1.1/4	GREEN or RED	2, 4, 5, 6, 7 $\frac{1}{2}$

SPECIFICATION :

Extra deep brass ; steel cup under base : Gévelot covered nickel plated powerful "AMINOX" primer ; loaded with a most expensive smokeless progressive powder, high quality wad and first-class chilled shot. Crimp closure, well varnished, pressure sealed.

SKEET INTERNATIONAL



Power packed shotgun shells specially conceived for skeet shooting, made of first-class components. 3/8" Brass. Large primer. Crimson red, well varnished tube. Loaded with smokeless powder. Patented AR-Gévelot recoil absorbing wad. First-class chilled shot. Crimp closed.

Gauge	Gun Chamber Length (In.)	Shot Load (oz)	Colour of tube	Shot Sizes
12	2 3/4	1. 1/8	Crimson RED	7 1/2, 8, 9
12	2 1/2	1.1/16	with BLACK imprint	

GÉVELOT

50, RUE AMPÈRE - PARIS-17e

Les Ateliers A B.C.-Paris - Printed in France

GÉVELOT

LA NOUVELLE CARTOUCHE IMPERMEABLE

GALLIA

Cuirasse laiton de 16 mm. — Amorçage fermé AMINOX

Renfort métal et culot acier sous le bourrelet — Amorçage anti-corrosif Aminox — Poudre sans fumée, bourre extra — Plomb durci de première qualité.

cartouches longueur 65 mm. : tous calibres.
cartouches longueur 70 mm. : cal. 12, 16 et 20.
Tous plombs et chevrotines.

En boîte métal laqué de 25 cartouches ou boîte plastique rouge, couvercle transparent.

THE NEW

GALLIA

5/8 in. Brass.
AMINOX non-corrosive.
Powerful Primer.

Metal lined and steel cup under base. — Superior wadding. — Loaded with French progressive — smokeless powder — First class chilled shot. — All shot and buckshot sizes supplied, in :

2 1/2" length : cal. 12, 16, 20, 24, .410.

2 3/4" length : cal. 12, 16 and 20.

A SPECIALLY WATERPROOFED SHOTSHELL

LA NOUVELLE VIVIA

Cuirasse laiton de 8 mm.
Amorçage fermé AMINOX anti-corrosif, charge 32 grammes.

Poudre sans fumée ; plomb durci de première qualité ; tous numéros de plombs et chevrotines, en : cartouches longueur 65 mm.
cal. 12, 16 et 20.

En boîte carton
de 25 cartouches

THE NEW VIVIA

AMINOX non-corrosive Primer.

Loaded with French smokeless Powder ; first class chilled shot ; all shot and buckshot sizes supplied in : 2 1/2 length.
12, 16 and 20 bore.
Shot load 1. 1/8 oz in 12 bore.

GÉVELOT

50, RUE AMPÈRE - PARIS (17e)

Les Ateliers A.B.C.-Paris
Printed in France

cal. 22 L.R. rim fire self loading GÉVARM rifle

8-shot, equipped with a Telescope

2 1/2 x or 4 power



Model A-6

As standard equipment
(without Telescope)
this Rifle is fitted with a Step Rearsight and a post foresight

50, Rue AMPÈRE - PARIS 17e **GÉVELOT**

the 22 rim fire self loading GÉVARM rifle

8-shot, fitted with a Mauser Tangent Sliding Rear Sight adjustable from 25 to 100 yards and a tunnel foresight for Competition shooting.



Model A-3

Trap for spare foresight elements with 5 inter changeable reticules.



GÉVELOT